

ADVANCE SYSTEMS

catalogue EN

2026

index

poliester putties

filling and finishing putties 2
metal repair putty 4
fiberglass repair putty 5
plastic repair putty 5
accesories 6

repair, bonding and sealing

windscreen sealer 8
bodywork sealants 9
metal adhesive 10

anti-corrosion and soundproofing protection

antigravel 13
cavity wax 14
soundproof sheets 14

plastic repair

plastic repair putty 16
plastic repair 17
technical spray gun paints for plastics 20
technical spray paints for plastics 21
plastic primer 22
polish and protectors for plastics 23

technical coatings

technical paints for spray guns 26
technical paints in spray 28

filler and primers

primers 31
aerosol fillers 32
fillers 33
hardeners for fillers 35

clear coats and thinners

clear coats 37
hardeners for clear coats 42
thinners 43

uv system

uv system 45

paint preparation systems

cleaning & degreasing cloths 48
degreasers 53
pressure sprayer 54
paint strainers 55
mixing sticks 55
mixing cups 56
pgs paint aplication system 57
pgs adapters 58
spray samples cards 59

polishing, shining and protection

polishes 61
protectors 65
electric polishers 66
cordless polishers 67
accesories 68
multifunction polishing trolley 70

masking systems

masking tapes 72
masking film 74
pre-taped masking film 76

personal protection

protection gloves 81
overalls, coats and suits for painters 83
hearing protection 86
eye protection 87
respiratory protection 88

abrasives

abrasive discs 94
sanding strips 99
abrasiver rolls 100
double-sided abrasive sponges 101
adhesive erasers 102
carbon discs 103
electric sanding machines 105
sanding accesories 109
multifunction sanding trolley 115
electric vacum 116

bodyshop equipment

stands 118
mobile trolleys 123
dispensers 124
various accessories 125

poliester putties

filling and finishing putties



multilight

Low specific weight filler with creamy texture. Adhesion on most automotive surfaces. Easy application, exceptional smooth finish, very fine and non-porous.

green	**ref.: 23179**	1L	6 un.



1-3%



25° 20’ P80-P180



universal

Polyester putty with high filling and finishing capacity in a single product. Adhesion on various types of surfaces. Easy sanding.

beige	**ref.: 23181**	1,8KG	6 un.



1-3%



25° 20’ P80-P180







1-3%



25° 20’ P80-P180

multisoft

Multi-purpose filler with excellent filling and bonding properties on various types of surfaces. High levelling capacity. Product with filling and finishing properties.

beige	**ref.: 23180**	1,8KG	6 un.

metal repair putty





1-3%



25° 20’ P80-P180

metal

Putty with laminated aluminium particles. Used for heavy loads. Can replace tin putty. Easy sanding.

aluminium	**ref.: 23182**	1,8KG	6 un.



fiberglass repair putty



glass fiber

Putty designed for a wide variety of surfaces: Aluminium, steel, galvanised and fibreglass surfaces. Easy to apply and sand.

green	**ref.: 23183**	1KG	8 un.



1-3%



25° 20’ P80-P180

plastic repair putty





1-3%



25° 20’ P80-P180

plastic

Flexible polyester putty for the repair of plastic car parts. Good adhesion even on polypropylene and meta, excellent sandability and flexibility.

black	**ref.: 23184**	1KG	8 un.

accesories

plastic spreaders



Plastic spatula for smooth and even application of polyester and fiberglass fillers, thanks to the design of its flexible and durable edge.
The cured filler peels off the spatula easily, allowing for convenient reuse.
Dimensions: 80 x 120 mm. Blue color.

ref.: 23456 100 un./box

rubber spreaders

Flexible rubber spreaders with a smooth finish and an exclusive geometry that allows shaping complex contours. Material: PVC.
Reusable — simply bend it and the hardened filler will detach easily.
Dimensions: 120 x 80 mm. Blue color.



ref.: 23457 100 un./box

flexible metal spreaders set



4-Piece Metal Putty Knife Set
Steel blade for precise application, flexible and offering greater control. Steel provides excellent strength and flexibility.
Plastic handle for a comfortable grip. Easy to clean and fully reusable.
Dimensions: 50 / 80 / 100 / 120 mm x 100 mm

ref.: 23458



spatula cleaner

Container specially designed for quick, effective and convenient cleaning of bodywork spatulas.
Compatible with commonly used cleaning solvents. Its solvent-soaked inner fibre system effectively removes putty and other residues from the spatula simply by inserting it and passing it through the fibre.
In just a few seconds, the spatula is clean and free of residue, ready to be used again.

ref.: 24016

repair, bonding and sealing

windscreen sealer

ms windscreen 6265

Fast single-component adhesive based on MS polymer for professional use.
Designed for bonding windshields and windows in the automotive, marine, and transportation sectors.
It can also be used as a sealing kit in many industrial applications.

- Excellent resistance to weather and UV rays
- Good structural bonding
- High viscosity
- Odorless
- Soundproofing properties
- Moisture-curing

Touch dry in 15 minutes
Drying time: 1 hour (2 airbags)
Color: Black



ref.: 23433	290 ML cartridge	12 un.
ref.: 23424	cartridge universal gun	

ms polymer



Fast MS polymer-based adhesive, for professional use as a sealant and adhesive.

- Easy to use.
- Good resistance.
- Maintains flexibility.
- Bonding and sealing of a wide variety of materials.
- Contains no solvents or isocyanates.
- No bubbles form during application on damp surfaces.
- Excellent UV resistance.
- Odorless.
- Can be painted over, even wet-on-wet.
- Cures with ambient humidity.

For use in the automotive, marine, and civil construction industries.
Also suitable for sanitary installations.
Skin formation: 10 minutes
Curing rate: 3 mm in 24 hours


ms polymer 9526 white	**ref.: 23425**	290 ml	12 un.
ms polymer 9527 grey	**ref.: 23426**	290 ml	12 un.
ms polymer 9528 black	**ref.: 23427**	290 ml	12 un.



ref.: 23424	universal cartridge gun

metal bonding

Two-component epoxy adhesive system, black color.
Specially designed for replacing non-structural panels such as roofs, door panels, side panels, etc. Bonds to steel, galvanized steel, and aluminum. Contains 0.25 mm glass microbeads that ensure a minimum layer of product in pressure and clamping areas. Resistant to cataphoresis and electrostatic painting. Can be welded while still fresh.
Dries at room temperature but can be accelerated with heat.



- Open time: 23°C – 60 min
- Working time: 23°C – 90 min
- Handling time: 23°C – 4 hours
- Full cure: 23°C – 24 hours

Must be applied with the Metal Bonding Gun, reference 23422.

ref.: 23419	220 ml cartridge	6 un.
ref.: 23420	mixers	bag 10 un.

metal bonding gun

Gun specifically designed for the application of the 220ml Metal Bonding, ensuring an easy and precise application.

ref.: 23422



fill brush

One-component sealing sealant for brush application. Fast drying. Can be repainted with any paint system once dry.

ref.: 23446	1L	6 un.





nylon brush


Semi-rigid nylon brush designed for applying and shaping sealants.
Helps easily reproduce the original factory finish.
Made with solvent-resistant materials, durable and reliable for multiple applications.

ref.: 23459

double sided adhesive tape

High-strength double-sided adhesive tape designed for the fast and secure bonding of mouldings, emblems and other components. Excellent adhesion and long-lasting performance.

ref.: 24009	6 MM X 10 M
ref.: 24010	9 MM X 10 M
ref.: 24011	12 MM X 10 M
ref.: 24012	19 MM X 10 M



anti-corrosion and soundproofing protection

antigravel

antigravel aerosol

Anti-gravel spray with excellent structure and flexibility.
Repaintable, good adhesion and resistance.

black	**ref.: 23276**	400ML	12 un.
grey	**ref.: 23277**	400ML	12 un.
white	**ref.: 23278**	400ML	12 un.







antigravel


High viscosity paint with high hardness for application on underbody. Available in black, grey and white.

black	**ref.: 23281**	1,3KG	12 un.
grey	**ref.: 23280**	1,3KG	12 un.
white	**ref.: 23279**	1,3KG	12 un.

soundproof sheets

soundproof sheets

Self-adhesive soundproof sheets designed to adhere easily to certain flat surfaces, such as those used by German automotive manufacturers. They are installed inside doors, the trunk, the roof, etc., to effectively suppress acoustic vibrations. Made from a bituminous material with a protective layer, these panels are highly flexible, easy to cut, and heat-resistant.
Dimensions: 50 cm × 50 cm × 2 mm
Box of 10 units



ref.: 23451

accesories



underbody coating gun

Pneumatic spray gun designed for the application of stone chip coatings, underbody protection and anti-corrosion products. Allows fast and even application directly from the product container. Its robust and practical design makes it ideal for underbodies, wheel arches and other vehicle areas requiring protection against stone chips, moisture and corrosion.

ref.: 24020

cavity wax gun

Pneumatic gun designed for the application of cavity waxes and anti-corrosion products in enclosed and hard-to-reach areas of the vehicle body. Provides fast and even application inside chassis sections, doors, pillars, box sections and other internal cavities. Equipped with an application probe to ensure effective product distribution and long-lasting protection against moisture and corrosion.

ref.: 24021



plastic repair

plastic repair putty





1-3%



25° 20’ P80-P180

plastic

Flexible polyester putty for the repair of plastic car parts. Good adhesion even on polypropylene and metal, excellent sandability and flexibility.

black	**ref.: 23184**	1KG	8 un.



plastic repair



me plastic repair 50 ml

2K PU adhesive for plastic repair.
State-of-the-art product, developed for the professional repair of plastic parts, from bumpers and trims to housings and exterior panels.
Free of isocyanates, so it does not require any certified training for use.
Reduces health risks for users, improves the working environment, and lowers the environmental impact of the product.
Application surfaces: rigid plastic, flexible plastic, wood, concrete, thermoset composite materials, carbon fiber, coated metals.
Easy extrusion, fast curing, perfect sanding, strong adhesion, stable on vertical surfaces, cost and time saving, resistant to chemical agents.
Available in 4 versions depending on drying time, adhesion, and sanding.

me plastic repair 25" - 50 ml black

Fast, ideal for bonding and repairing mounts and brackets.

Working time:	30 seconds
Application time:	2 minutes
Sanding time:	5 minutes
Elongation:	58%
Color:	black

ref.: 23428

me plastic repair 90" - 50 ml black

Medium, perfect for repairing breaks and cracks.

Working time:	90 seconds
Application time:	5 minutes
Sanding time:	10 minutes
Elongation:	58%
Color:	black

ref.: 23429

me plastic repair 3,5' - 50 ml negro

Slow, suitable for repairing tears and cracks requiring longer processing time.

Working time:	210 seconds
Application time:	15 minutes
Sanding time:	30 minutes
Elongation:	58%
Color:	black

ref.: 23430

me plastic repair 1' - 50 ml transparent

Intermediate, suitable for repair work and small joints.


Working time:	50 seconds
Application time:	5 minutes
Sanding time:	10 minutes
Elongation:	58%
Color:	transparent

ref.: 23431

mixer plastic repair

Mixers for ME Plastic Repair

ref.: 23432	pack 2 un





reinforcement tissue 12 x 360 cm

To help apply the adhesive, reinforcement tissue is also recommended. The back is made from PE material, so it can easily be removed when the adhesive has set.

ref.: 23421

plastic repair 50 gun

Applicator gun for 50 ml cartridges

ref.: 23423



technical spray gun paints for plastics

bumper tex

Highly resistant textured paint for application on plastics. Available in different colours.



black	**ref.: 23270**	1L	12 un.
grey	**ref.: 23269**	1L	12 un.



r color paint

One-component paint offering excellent adhesion on most plastic surfaces used in the manufacture of bumpers and other automotive plastic parts (polypropylene, polycarbonate, ABS, Pocan, Xenoy, rigid polyurethane, fiberglass-reinforced polyester, etc., except polyethylene and blends containing it). Fast drying, wash- and weather-resistant, semi-matte finish.

ref.: 23449	1L	box of 6 units

technical spray paints for plastics



spray bumper tex

Highly resistant textured spray for application on plastics.
Available in different colours.

black	**ref.: 23272**	400ML	12 un.
grey	**ref.: 23271**	400ML	12 un.

r color paint spray

High-quality paint formulated with combined nitro resins to achieve a smooth finish. Suitable for bumpers and other automotive plastic parts.
Very fast drying. Easy to apply and repaint. High scratch resistance after film polymerization. Good adhesion. Excellent elasticity.



black	**ref.: 23447**	400ML	12 un.
grey	**ref.: 23448**	400ML	12 un.

plastic primer



plastic primer spray

Colourless primer to ensure adhesion on plastics.

ref.: 23283	400ML	12 un.

plastic primer

Clear primer to ensure adhesion on plastics.

ref.: 23443	1L	6 un.



technical coatings

technical paints for spray guns



black gloss, matt, satin

Black paint with gloss, matt or satin finish.

gloss	**ref.: 23259**	1L	12 un.
matt	**ref.: 23260**	1L	12 un.
satin	**ref.: 23261**	1L	12 un.

alu wheel

Silver-colored finish for wheel repairs. Fast drying and high hardness.

ref.: 23444	1L	6 un.





steel chrome

Paint for creating a chrome effect. For optimal protection and appearance, clear coating is required.

ref.: 23445	1L	6 un.



rinotex 2k

2K polyurethane with excellent adhesion on bare metal, galvanised, aluminium... Capable of producing different textures by modifying the way of application. High UV protection, high resistance to corrosion. The most remarkable feature is its high hardness and soundproofing power.
Mixing ratio: 4:1 + 0-10% Rinotex + hardener+ thinner

tintable	**ref.: 23266**	1L	6 un.
black	**ref.: 23267**	1L	6 un.
hardener	**ref.: 23268**	1L	6 un.



technical paints in spray

pierre fusil

Renault colour aerosol for plastics.

renault	**ref.: 23273**	400ML	12 un.





black gloss, matt, satin spray

Black spray with gloss, matt or satin finish.

gloss	**ref.: 23262**	400ML	12 un.
matt	**ref.: 23263**	400ML	12 un.
satin	**ref.: 23264**	400ML	12 un.

white gloss spray

White spray with gloss finish.

ref.: 23265	400ML	12 un.





alu-wheel spray

Silver coloured finish for wheel rim repairs. Quick removal and high hardness.

silver	**ref.: 23274**	400ML	12 un.



chrome effect spray

Paint for chrome effect. For optical protection, it needs to be varnished.

ref.: 23275	400ML	12 un.





filler and primers

primers



zinc spray

Paint aerosol for zinc-plated surfaces.

ref.: 23255	400ML	12 un.

epoxy primer

High-performance anti-corrosion primer, formulated with epoxy resins to provide maximum adhesion, durability, protection, and corrosion resistance. Ideal for use on metal, plastic, and fiberglass surfaces. Fast-drying, no sanding required. Color: Grey

ref.: 23289	400ML	12 un.





wet-on-wet primer

Adhesion promoter primer for direct application on uncoated metals such as steel, zinc, aluminium, etc. Fast drying repaintable wet-on-wet, no sanding required. High corrosion protection

ref.: 23294	400ML	12 un.

aerosol fillers



easyfiller 1k - spray

State-of-the-art, ultra-fast drying filler. Excellent levelling. Easy sanding.

white	**ref.: 23197**	400ML	12 un.
light grey	**ref.: 23198**	400ML	12 un.
dark grey	**ref.: 23250**	400ML	12 un.
black	**ref.: 23199**	400ML	12 un.

high filler 1k - spray

UHS 2.1 filler with very high solids content, fast drying and impressive levelling. 29-33 microns per coat.

white	**ref.: 23251**	400ML	12 un.
light grey	**ref.: 23252**	400ML	12 un.
dark grey	**ref.: 23253**	400ML	12 un.
black	**ref.: 23254**	400ML	12 un.



fillers

wet on wet

High-build UHS primer with excellent filling properties. Adheres to sanded surfaces and old fillers.
Does not sag or leave edge marks, fast drying, and easy to sand.

light grey	**ref.: 23442**	1L	6 un.





filler uhs 2k 4.0

UHS high build filler with excellent filling properties. Adheres to sanded surfaces and old fillers. No 'squeaky', no edge marks, fast drying and very easy to sand.

white	**ref.: 23185**	3,6L	4 un.
light grey	**ref.: 23186**	3,6L	4 un.
dark grey	**ref.: 23187**	3,6L	4 un.
black	**ref.: 23188**	3,6L	4 un.



4:1 0-5%	90'	'70-80"	1'8-2	1/2+1	3-4'	50' 20°	10'



multifiller uhs 2k 6.0

2-component UHS filler designed for the preparation of cars and commercial vehicles. It stands out for its high covering power and ease of sanding. Dry sanding in 40 minutes. Unique in its line.



white	**ref.: 23192**	4L	4 un.
light grey	**ref.: 23193**	4L	4 un.
dark grey	**ref.: 23194**	4L	4 un.
black	**ref.: 23195**	4L	4 un.

4:1 5-20%	1h 20°	32-38"	1'3-1'8	100-120µc 2 manos	5’	P400 P500 P600	40' 20° 10' 60°	5’



3,5 l mixng lid

Reusable 3.5 L mixing lid designed to ensure fast, clean and homogeneous mixing of automotive refinish paints and related products. Compatible with the most common paint mixing machines.

ref.: 24015

hardeners for fillers



hardener filler 4.0

Hardener for **Filler UHS 2K 4.0**

fast	**ref.: 23189**	1L	6 un.
standard	**ref.: 23190**	1L	6 un.
slow	**ref.: 23191**	1L	6 un.

hardener multifiller 6.0

Hardener for **Multifiller UHS 2K 6.0**

standard	**ref.: 23196**	1L	6 un.



clear coats and thinners

clear coats



clear coat hs WK 5.0

Highly scratch-resistant, fast-drying clear coat with a good surface slip. Characterised by a superb acrylic gloss.

ref.: 23150	5L	4 un.
ref.: 23295	1L	6 un.

2:1	100’	18-20”	1’3-1’4	1/2+1	5-10	20’ 60° 45’ 20°	12’

clear coat uhs WK 7.0

UHS clear coat ready to use, therefore no solvent addition is needed to obtain a perfect extensibility of the finishes. High COI and reflection.Compatible with waterborne and solventborne. High pot life and easy application. Complete dust free vehicles in 90 minutes.

ref.: 23151	5L	4 un.
ref.: 23296	1L	6 un.



2:1 0-5%	120’	19-21”	1’3-1’4	1/2+1	9-11	25’ 50° 120’ 20°	15’





clear coat uhs WK 9.0 air

Fast drying UHS clear coat, with a great finish on waterborne and solventborne paints. High dry residue concentration, high hardness and surface flow, designed for oven-free painting and energy saving.

ref.: 23152	5L	4 un.

2:1 0-5%	30’	18-20”	1’3-1’4	1/2+1	5-8’	20’ 20°	5’

clear coat uhs WK 11.0 anti sagging

UHS clear coat designed with special resins to avoid sagging, easy application, high gloss retention and excellent sprayability. Designed to work on waterborne and solventborne two-coat paints.

ref.: 23153	5L	4 un.



2:1 10-12%	90’	19-20”	1’3-1’4	1/2+1	10’	45-50’ 20° 20’ 50°	12’



clear coat uhs WK 15.0 ht

High-tech acrylic-polyester clear coat. It stands out for its great levelling power and ease of polishing. Very good weather resistance and fast internal curing. Great combination of hardness and elasticity. Dries in 40 min.

ref.: 23154	5L	4 un.

2:1 0-5%	90’	18-20”	1’2-1’3	1/2+1	8-10’	35’ 20° 15’ 60°	8’



clear coat 1k matt aerosol

High gloss matt clear coat for small repairs. Water resistant.

matt	**ref.: 23156**	400ML	12 un.

clear coat 1k gloss aerosol

High gloss transparent clear for small repairs. Water resistant.

gloss	**ref.: 23155**	400ML	12 un.





headlight clear coat

Single component clear coat for the renovation of automotive headlamps.

ref.: 23157	400ML	12 un.	



colour control

Solution for achieving a temporary gloss layer that replaces varnish without leaving residues on the surface.
Spray a fine layer onto a painted sample panel to create a temporary gloss that allows you to easily check the color and compare it with the desired shade. Not only is it a valuable tool for color adjustments, but it is also excellent for detecting imperfections, acting like a magnifying glass to quickly and efficiently spot errors.



ref.: 23288	400ML	12 un.

hardeners for clear coats



hardener WK 5.0

Hardener for **Clear Coat Hs WK 5,0**

fast	**ref.: 23158**	2,5L	4 un.
standard	**ref.: 23159**	2,5L	4 un.
slow	**ref.: 23160**	2,5L	4 un.
extra slow	**ref.: 23161**	2,5L	4 un.
standard	**ref.: 23297**	500ML	6 un.

hardener WK 7.0-9.0

Hardener for **Clear Coat UHS WK 7.0** and **Clear Coat UHS WK 9.0 Air Dry**

fast	**ref.: 23162**	2,5L	4 un.
standard	**ref.: 23163**	2,5L	4 un.
slow	**ref.: 23164**	2,5L	4 un.
extra slowlento	**ref.: 23165**	2,5L	4 un.
standard	**ref.: 23298**	500ML	6 un.





hardener WK 11.0-15.0-17.0

Hardener for **Clear Coat UHS WK 11.0 Anti-Sagging, Clear Coat UHS WK 15.0 HT** and **Clear Coat UHS WK 17.0 MX**

fast	**ref.: 23166**	2,5L	4 un.
standard	**ref.: 23167**	2,5L	4 un.
slow	**ref.: 23168**	2,5L	4 un.
extra slowlento	**ref.: 23169**	2,5L	4 un.

thinners



acrylic thinner

Universal acrylic thinner for paints and fillers.

fast	**ref.: 23173**	5L	4 un.
standard	**ref.: 23172**	5L	4 un.
slow	**ref.: 23171**	5L	4 un.
extra slow	**ref.: 23170**	5L	4 un.

hq acrylic thinner

Universal high quality acrylic thinner for clear coats.

slow	**ref.: 23285**	5L	4 un.
standard	**ref.: 23286**	5L	4 un.





fade out thinner

Combination of low evaporation rate solvents for paint blending in repairs.

ref.: 23175	400ML	12 un.
ref.: 23174	1L	6 un.

uv system

uv system



uv putty

UV putties, easy to use as a 1K product, ideal for quick and cost-effective small repairs, can be used on both metal (steel, aluminium, galvanised) and plastic surfaces. UV lamp curing for increased productivity. Easy sanding.

ref.: 23258	200GR	12 un.



uv filler aerosol

Latest generation Filler 1K. UV lamp curing. Increased productivity, efficiency and energy savings. For use on steel, aluminium, galvanised steel, OEM finishes and plastics. Ideal for small repairs.

ref.: 23256	400ML	12 un.





uv clear coat aerosol

1K clear coat of the latest generation. UV lamp curing. Higher productivity, efficiency and energy saving. High gloss and resistance.

ref.: 23257	400ML	12 un.

paint preparation systems

cleaning & degreasing cloths



politek

Cloth for cleaning and degreasing vehicle bodies during repainting processes.
Its manufacturing structure includes polypropylene inserts, enhancing the cloth's flexibility and adaptability.
Very good absorbency.
Practical roll with 500 pre-cut sheets, cloth size: 38 × 32 cm.
Dispenser available, reference 23407.

ref.: 23436

wipex

Special non-woven cloth for degreasing applications.
Highly resistant to solvents and anti-silicone agents.
Excellent absorbency and mechanical strength.
Dispenser with 150 turquoise sheets, dimensions: 30 × 38 cm.



ref.: 23435



tack rag special water-based paint

Dust-tack cloth, anti-static, perfect for removing dust before painting.
Impregnated with a water-based resin that leaves no adhesive residue, ensuring a perfect finish.
Size: 32 × 40. Black color.
Box of 25 units.

ref.: 23143

tack rag ideal for plastics

Polyester dust-tack cloth, tear-resistant, impregnated with a high-quality water-based resin that does not generate static charge, unlike other tack cloths.
Ideal for use on plastic surfaces.
Size: 32 × 40. White color.
Box of 25 units

ref.: 23144





soft polishing cloth

Special non-woven cloth for polishing and shining.
High absorbency, very soft, lint-free.
Antistatic. Roll of 250 sheets, 28 x 40 cm.

ref.: 23434

industrial paper roll 2-ply



100% Pure Cellulose
2-Ply Laminated Paper
Roll weight: 3 kg
Length: 332 m
1004 sheets of 33 cm each

ref.: 23060	2-unit pack

navy blue microfiber cloth



Roll of 75 pre-cut microfiber cloths, soft, non-abrasive and highly absorbent.
Ultrasonic cutting technology, edgeless design that does not scratch.
For dry or wet use. Convenient hand-size format.
Washable and reusable up to 50 times.
87% polyester + 13% polyamide. Weight: 175 g/m². Size 30 x 30 cm
Navy Blue color. Suitable for automotive, marine, industrial, hospitality, hotels use, etc.
Multi-purpose cloth for cleaning and degreasing.
Roll of 75 cloths.

ref.: 23145

microfiber cloth in dispenser box

Dispenser with 30 microfiber cloths, soft, non-abrasive and highly absorbent.
Ultrasonic cutting technology, edgeless design that does not scratch.
For dry or wet use. Convenient hand-size format.
Washable and reusable up to 50 times.
87% polyester + 13% polyamide. Weight: 180 g/m². Size: 30 × 30 cm.
Suitable for automotive, marine, industrial, hospitality, hotels use, etc
Multi-purpose cloth for cleaning and degreasing.

pink	**ref.: 23146**
green	**ref.: 23147**









microfiber detailing cloth

Roll of 20 pre-cut microfiber cloths specially designed for polishing, waxing and general detailing.
Extremely soft, non-abrasive and highly absorbent.
Ultrasonic cutting technology, edgeless design that does not scratch.
Washable and reusable.
80% polyester + 20% polyamide. Weight: 230 g/m².
Size: 40 x 40 cm.
Blue color. Suitable for automotive, marine, industrial use.
Roll of 20 cloths.

ref.: 23148

microfiber glass cloth

Roll of 20 pre-cut microfiber cloths specially designed for cleaning car or boat screens, windshields, electronic devices, camera lenses, watches, mirrors, glassware, dishes, etc.
Extremely soft, non-abrasive, and highly absorbent.
Ultrasonic cutting technology, edgeless design that does not scratch.
Washable and reusable.
90% polyester + 10% polyamide. Weight: 280 g/m².
Size: 30 × 40 cm.
Sky Blue color. Suitable for automotive, marine, industrial, hospitality, hotels, etc.

ref.: 23149



degreasers



degreaser

Mixture of organic solvents, suitable for cleaning and degreasing of bare metal, existing finishes, primers, etc. High general cleaning power. Medium evaporation.

standard	**ref.: 23176**	5L	4 un.
slow	**ref.: 23177**	5L	4 un.

degreaser aerosol

Mixture of organic solvents for cleaning and degreasing the surface to be painted.

ref.: 23178	400ML	12 un.



degreaser wb - antistatic



Powerful ANTISTATIC water-based degreaser - removes all dirt, dust, swarf and grease from various surfaces including (old) paint layers, primers, rubbers, plastics and metals (steel, aluminium and galvanized pieces).
Leaves no streaks or residues - eliminating salt and soap rests without leaving any traces.
Exceptional surface degreaser and silicone remover - ultimate step before paint application. Effective against tar and glue - when used with scuff rolls
Water-based, biodegradable and low-VOC - safe to use with minimal protective gear.
By using 2 cloths, the water-based degreaser removes all dirt from the surface without leaving any traces.
Volume: 5 L

ref.: 23299

pressure sprayer



paint strainers



Disposable paper paint filter with nylon mesh available in 125 and 190µ. Suitable for water-based or solvent-based paint.

ref.: 23211	125µ	1000-un. box
ref.: 23212	190µ	1000-un. box

mixing sticks



Disposable paint mixing sticks. Ergonomic design with S-shaped openings to facilitate product mixing.

ref.: 23209	24cm	500-un. box
ref.: 23210	30cm	500-un. box



Designed in an S-shape with small holes for optimal mixing and fast results. Made of rigid PP. Size: 300 x 25 mm. Color: Blue

ref.: 23214	30 cm	200-un. box

mixing cups



Disposable mixing cups and lids for preparing all types of paints. Available mixing ratios: 1:1, 2:1, 3:1, 4:1, 5:1, 6:1, 7:1, with dilution percentages and scaling in ml.

cup	**ref.: 23201**	385 ml
	ref.: 23202	680 ml
	ref.: 23203	1370 ml
	ref.: 23204	2250 ml
lid	**ref.: 23205**	385 ml
	ref.: 23206	680 ml
	ref.: 23207	1370 ml
	ref.: 23208	2250 ml

paint application system



pgs

A system for the preparation and application of paints, offering significant time savings in processes, resulting in increased profitability and productivity.

Kit Content:

- Graduated rigid cup
- Sealing ring
- 50 Flexible cups
- 50 Lids with filters
- 20 Sealing plugs

kit pgs	**ref.: 23200**	200ML - 125µ
	ref.: 23400	400ML - 125µ
	ref.: 22400	400ML - 200µ
	ref.: 23600	600ML - 125µ
	ref.: 22600	600ML - 200µ
	ref.: 23800	800ML - 125µ
	ref.: 22800	800ML - 200µ

600 ml pgs rigid cup

Durable, practical and reusable. Pack of 2.

ref.: 24022

pgs adapters



plate holders



magnetic sample plate holder

Magnetic holder for handling paint sample plates.
Non-slip rubber grip handle. color: blue.
Dimensions: 36.5 x 9.5 x 3 cm

ref.: 23455

paint sample plate

Metal sheets for spraying and color verification, compatible with conventional and water-based systems.
Allows testing to check color match, coating coverage, hiding power, gloss, and metallic flow before applying the paint material.
The black stripe makes it easier to assess the degree of coating coverage.
10 mm Ø hole for color comparison. 4 rounded edges.
Size: 148 mm x 105 mm.

white with black stripe	**ref.: 23461**	100 un. box
light grey with black stripe	**ref.: 23462**	100 un. box







touch-up bottles 20 ml

Plastic bottles with screw cap and integrated brush for quick and light touch-ups.
Display case composition:
100 bottles of 20 ml with 5 mm glass ball
1 funnel
100 plastic caps
100 adhesive labels

ref.: 23463

polishing, shining and protection

polishes



heavy cut gs01

It removes marks, failings, dullness and P1200-P2000 sand scratches, as well as restores badly oxidized paints. It may be used both on old and on new well dried paints.

ref.: 23100	1,3KG	6 un.

red hard foam gs01

Specific hard foam pad for use with **heavy cut gs01**. Diameter 150-170mm

ref.: 23101	2-unit box





fast cut gs02

It removes marks, failing, dullness and P1500-P3000 sand scratches. It is also used as 'One Step' compound for quick spot repair, leaving high gloss finish.

ref.: 23102	1KG	6 un.

orange medium hard foam gs02

Specific Medium hard foam pad for use with **fast cut gs02**. Diameter 150-170mm

ref.: 23103	2-unit box





finish gs03


Micro abrasives-based formula that removes holograms, as well as light dullness, swirls and polishing marks. Ideal on black colours, leaves first-class gloss. Remove P3500-P4000 sand scratches

ref.: 23104	1KG	6 un.

blue medium soft foam gs03

Specific Medium soft foam pad for use with **finish gs03**. Diameter 150-170mm

ref.: 23105	2-unit box





superfinish gs04

For extreme glorious gloss, it removes extra light scratches and delivers the outstanding shine, while protecting the paint. It may be used both by polisher and by hand.

ref.: 23106	1KG	6 un.

green soft foam gs04

Specific soft foam pad for use with **superfinish gs04**. Diameter 150-170mm

ref.: 23107	2-unit box



protectors



electric polishers

electric rotary orbital polisher gps 930



diameter	125 MM
electrical voltage	220V - 240 V
frequency	50 HZ
power	1000 W
rotation speed	2000 - 5000 rpm
eccentric distance	15 MM

ref.: 23111

electric rotary polisher gps 926



diameter	125 - 150 MM
electrical voltage	220V - 240 V
frequency	50 HZ
power	1300 W
rotation speed	800 - 2500 rpm
connection	M14

ref.: 23112



led light for polishers gps 930 - gps 926

LED light with multiple intensity levels to ensure polishing work accuracy. Compatible with **GPS930** and **GPS926** polishers.

ref.: 23110

cordless polishers



cordless polisher gps 934

lithium battery	12v
orbit	8mm
speed	2000-5000r/min
diameter	125mm
continuous load operation	30 min
charging	1.5 h

ref.: 23292



multifunction polisher kit 3 in 1

Complete system with multiple rotating heads for polishing and sanding, both rotary and orbital.
Ideal for touch-ups, hard-to-reach areas, and high-precision work. Delivers power, control, and flexibility in a single high-performance modular system with wireless power supply.
Includes polisher, 2 batteries, charger, 3 rotating heads, adapter, 3 hook-and-loop backing plates, and 2 extensions.

ref.: 23136

accesories

6inch extame soft rotary backing plate

Flexible Velcro pad with a diameter of 150 mm/6 inches.
Compatible with all polishers with M14 thread.

ref.: 23418





5inch extame soft rotary backing plate

Flexible Velcro pad with a diameter of 125 mm/5 inches.
Compatible with all polishers with M14 thread.

ref.: 23417

3inch extame soft rotary backing plate

Flexible Velcro pad with a diameter of 75 mm/3 inches.
Compatible with all polishers with M14 thread.

ref.: 23415





dust removal file

This metal tool slides easily and safely over the affected area, removing any protruding paint without damaging the surrounding surface.
Helps avoid wet sanding and polishing large areas.
A quick one-step polishing leaves the area with a flawless finish in minutes.
Weight: 33 g.

ref.: 23410



multifunction polishing trolley



multifunction polishing trolley

Trolley with 4 wheels made of high-quality plastic and aluminum.
Efficient organization of polishing products. With space for polish bottles, sponges and polishing pads, microfiber cloths, pressure sprayers, car wax, polishers, and much more.

ref.: 23291

masking systems

masking tapes



orange 466 masking tape

Premium quality self-adhesive masking tape, recommended for high-demand applications on automotive and industrial vehicles. Water-resistant, heat-resistant up to 100°C for 60 minutes, and tear-resistant. Made from saturated crepe paper and resins. Excellent adhesion. Leaves no residue.

orange	**ref.: 23066**	18 MM X 45 M	96 rolls / box
orange	**ref.: 23067**	24 MM X 45 M	72 rolls / box
orange	**ref.: 23068**	36 MM X 45 M	48 rolls / box
orange	**ref.: 23069**	48 MM X 45 M	36 rolls / box



typhoon 90° masking tape

High-quality versatile masking tape with a crepe paper backing and solvent-based natural rubber resin adhesive, developed for use with any type of paint and applications with drying cycles at a maximum temperature of 90° for 30 minutes. Highly adaptable to irregular surfaces, ensuring clean edges. Easy and clean removal without leaving adhesive residue on the application surface

brown	**ref.: 23062**	18 MM X 45 M	96 rolls / box
brown	**ref.: 23063**	24 MM X 45 M	72 rolls / box
brown	**ref.: 23064**	36 MM X 45 M	48 rolls / box
brown	**ref.: 23065**	48 MM X 45 M	36 rolls / box



top pro 80° masking tape

High-quality Masking Tape, ideal for industrial applications and automotive repairs, suitable for use at temperatures up to 80°C for 30 minutes. It conforms perfectly to surfaces of various shapes.
Compatible with most paints and clear coats available on the market. Leaves no residue and can be removed cleanly without tearing. Adhesive made from natural rubber and solvent resins.

white	**ref.: 10130**	18 MM X 45 M	48 rolls / box
white	**ref.: 10140**	24 MM X 45 M	36 rolls / box
white	**ref.: 10150**	36 MM X 45 M	48 rolls / box
white	**ref.: 10160**	48 MM X 45 M	36 rolls / box



masking film



masking film

Medium-density polyethylene plastic film for partial or complete vehicle masking. Excellent paint spray adhesion thanks to the corona treatment on its outer surface. The inner surface adheres statically.
The outer surface, printed with the GS brand and the legend "PAINT ON THIS SIDE," ensures correct positioning.

ref.: 23055	4 M X 150 M	10 microns
ref.: 23056	4 M X 300 M	10 microns
ref.: 23061	5 M X 200 M	10 microns
ref.: 23074	6 M X 150 M	10 microns



magnetic plastic cutter blade

Blade for easy and precise cutting of masking film or masking paper.
Equipped with a magnet on the back.

ref.: 23460



pre-taped masking film

Roll of HDPE plastic film with electrostatic treatment on both sides, featuring integrated masking tape.
Transparent film: 8–9 microns thick.
Masking tape: 25 mm wide, resistant up to 80°C.
Support tube: Made of recycled cardboard.
UV resistance: Up to 2 days.

ref.: 23050	35 CM X 25 Y	60 rolls / box
ref.: 23051	60 CM X 25 Y	60 rolls / box
ref.: 23052	90 CM X 25 Y	30 rolls / box
ref.: 23053	120 CM X 25 Y	30 rolls / box
ref.: 23054	180 CM X 25 Y	30 rolls / box



kraft masking film 40 grs/m2 with ws treatment

ref.: 23070	45 CM X 200 M	2 rolls
ref.: 23071	60 CM X 200 M	2 rolls
ref.: 23072	85 CM X 200 M	2 rolls
ref.: 23073	110 CM X 200 M	2 rolls

pre-taped masking film



foam masking tape


Self-adhesive polyurethane foam strip designed to protect the internal parts of the vehicle from paint spray. It is applied to the vehicle's openings, absorbing paint and preventing buildup along the edges.

ref.: 23057	13 MM x 50 M	roll
ref.: 23059	19 MM x 35 M	roll


t foam masking tape

Self-adhesive T-shaped strip designed for use in areas with very limited space.
Ensures even spray coverage thanks to the slight elevation of its sides.
High-temperature resistant adhesive, suitable for infrared drying processes and endothermic panels.

ref.: 23058	25 M	roll







trim masking tape

Trim masking tape for easy masking of new windscreens.
Pre-cut and very flexible. Liner 9 - 11 mm

ref.: 10010	50 MM X 10 M	roll

duct tape

Strong, tear-resistant cloth tape, ideal for quick fixes and for protecting the bodywork when sanding nearby areas. Leaves no residue.

ref.: 24007	**silver**	50mm x 50 m	10 rolls
ref.: 24008	**black**	50mm x 50 m	10 rolls



personal protection

protection gloves



blue nitrile gloves

Comfortable, high-strength, and durable single-use gloves. The fingertips are textured to enhance grip. Flexible and adaptable gloves featuring a beaded cuff for spill protection. Latex-free. Non-sterile. Ambidextrous. Powder-free.
Box of 200 units.
Length: 240 mm.

ref.: 05270	size XP	200-pcs box	10 boxes
ref.: 05272	size M	200-pcs box	10 boxes
ref.: 05273	size G	200-pcs box	10 boxes
ref.: 05274	size XG	200-pcs box	10 boxes

extreme black nitrile gloves

Disposable nitrile gloves with protection against chemical and biological agents
(PPE - Cat. III). Anatomically shaped (not ambidextrous). Finish: rolled rim.
Micro-textured fingertips to enhance grip and provide anti-slip functionality.
Powder-free. Box of 100 units. Length: 235 mm.
Terminology and minimum performance requirements for chemical risks according to EN ISO 374-1:2016+A1:2018/Type B.



ref.: 24004	size S	100-pcs box	10 boxes
ref.: 24003	size M	100-pcs box	10 boxes
ref.: 24005	size L	100-pcs box	10 boxes
ref.: 24006	size XL	100-pcs box	10 boxes



hr 8 blue nitrile gloves

Heavy-duty disposable nitrile gloves with protection against chemicals and hazardous microorganisms. Powder-free. Ambidextrous. Rolled cuff finish.
Micro-textured fingertips for anti-slip properties.
Box of 50. Length 300 mm.
Terminology and minimum performance requirements for chemical risks according to EN ISO 374-1:2016+A1:2018/Type B

ref.: CU-GDNIT-MO-HR8-M	size M	50-pcs box	10 boxes
ref.: CU-GDNIT-MO-HR8-L	size L	50-pcs box	10 boxes
ref.: CU-GDNIT-MO-HR8-XL	size XL	50-pcs box	10 boxes

orange extreme grip nitrile gloves

Disposable nitrile gloves with protection against hazardous chemicals and microorganisms (PPE Category III). Ambidextrous. Finish: rolled cuff.
Surface: textured with grip. Powder-free.
Box of 50 units. Length: 240 mm
Terminology and minimum performance requirements for chemical risks in accordance with EN 374-1:2016+A1:2018 / Type B and EN ISO 374-5:2016



ref.: 24000	size M	50-pcs box	10 boxes
ref.: 24001	size L	50-pcs box	10 boxes
ref.: 24002	size XL	50-pcs box	10 boxes

overalls, coats and suits for painters



gs overall

Painter’s coverall with hood and elastic cuffs, waist, and hood.
Personal protective equipment CAT. I in accordance with EU Directive 2016/425.
Antistatic EN1149-1:2006. General protective clothing DIN EN ISO 13688:2013.
100% polyester, silicone-free, lint-free.
Blue color

ref.: 23300	size s
ref.: 23301	size M
ref.: 23302	size L
ref.: 23303	size XL
ref.: 23304	size 2XL
ref.: 23305	size 3XL



gs painter’s coat

Painter’s coat with hood, protective flap closure, functional chest pockets, and two side pockets. Elastic cuffs.
Personal protective equipment CAT. I in accordance with EU Directive 2016/425.
Antistatic EN1149-1:2006. General protective clothing DIN EN ISO 13688:2013.
100% polyester, silicone-free, lint-free.
Color: blue

ref.: 23306	size S
ref.: 23307	size M
ref.: 23308	size L
ref.: 23309	size XL
ref.: 23319	size 2XL
ref.: 23311	size 3XL



gs painter jacket and trousers

Painter’s suit: jacket and trousers. Jacket with hood, front closure, and functional pockets. Trousers with elastic waist and ankles, and multiple pockets.
Personal protective equipment CAT. I in accordance with EU Directive 2016/425.
Antistatic EN1149-1:2006. General protective clothing DIN EN ISO 13688:2013.
100% polyester, silicone-free, lint-free.
Color: blue

ref.: 23312	size S
ref.: 23313	size M
ref.: 23314	size L
ref.: 23315	size XL
ref.: 23316	size 2XL
ref.: 23317	size 3XL

hearing protection

m6 ear muffs

EN 352-1:2002
SNR 35 dB noise reduction

high frequencies	39
medium frequencies	32
low frequencies	25

ref.: MLX613001





mx 7 ear muffs

EN 352-3:2002
Designed for helmets with 30 mm slot
SNR 31 dB noise reduction

high frequencies	34
medium frequencies	29
low frequenciesr	21

ref.: MLX614001

pura-fit® foam earplugs

EN 352-2:2002
Ideal for high noise levels. SNR 31 dB noise reduction
200 foam earplugs blister

ref.: MLX770001



eye protection



adapt-2k safety glasses

EN 166:2001 / UV Filter: EN 170:2002
With soft dual-component rubber temples, high-quality anti-fog and anti-scratch coating

ref.: MLX140001



adapt-1k safety glasses

EN 166:2001 / UV Filter: EN 170:2002
With single-component temples, high-quality anti-fog and anti-scratch coating

ref.: MLX141001

respiratory protection

classic mask





ActivForm® 3D flexible design for a comfortable and secure fit
DuraMesh® structure maintains the shape of the mask
High-performance filter for enhanced breathing comfort
Soft, skin-friendly interior provides additional comfort
Unique elastic strap

ref.: MIX 236015	FFP1 NR D without valve	20 un.-box
ref.: MIX 240515	FFP2 NR D with VENTEX ® valve	20 un.-box
ref.: MLX 255501	FFP3 NR D with VENTEX ® valve	20 un.-box



smart active mask

Additional activated carbon filter, depending on the type, can be used to protect against low concentrations of gases, unpleasant odors, and ozone.
Flexible ActivForm® 3D design automatically adapts to the shape of the face and facial movements.
DuraMesh® structure maintains the shape of the mask even under the most extreme conditions.
Soft woven strap with clip closure.

ref.: MLX243501 10 un.-box
FFP2 NR D with VENTEX ® valve + GASES < LIMIT VALUE2

ref.: MLX253501 10 un.-box
FFP3 NR D with VENTEX ® valve + ODORS, GASES AND OZONE2

smart pocket ® mask

Flexible ActivForm® 3D design automatically adapts to the shape of the face and facial movements.
DuraMesh® structure maintains the shape of the mask even under the most demanding conditions.
The packaging design is compact, which means that the foldable Smart
Pocket® FFP masks are easy to transport and store. They are hygienically packed individually and can be quickly and easily removed and unfolded for use.

ref.: MIX 247501	FFP2 NR D with VENTEX ® valve	10 un.-box



compactmask half mask



ref.: MLX512001	FFA1P2 R D
ref.: MLX523001	FFA2P3 R D

EN 405:2001+A1:2009

CompactMask half masks are ready to use and require no maintenance. The integrated gas and particle filters enable an ultra-compact design, which in turn provides an excellent field of vision. The CompactMask is also suitable for use with face shields and safety glasses.
Thanks to the high flexibility of the mask, the one-size-fits-all design adapts to a wide variety of face shapes and sizes. The CompactMask is delivered in a resealable storage bag.
CompactMask half masks provide reliable protection against particles, gases, and vapors. They are available in a wide range of filter combinations.

9000 serie full face mask

9000 Series Full Face Masks can be combined with various EasyLock® gas and particle filters, without the need for pre-filters or adapters. This ensures a high degree of flexibility and simple storage. The panoramic, frameless lens is made of scratch-resistant, solvent-resistant polycarbonate, offering excellent eye protection and a wide field of vision.
The extra-large head harness opening and the two practical closures make donning and doffing the mask quick and easy. These full face masks are designed for low maintenance: the cleaning process is fast and simple, as is replacing the few components that require attention.An anatomically designed face seal ensures a comfortable and secure fit. The full face masks are durable and meet the strict requirements of Class 2.



ref.: MLX900201	size M
ref.: MLX900301	size L

7000 serie - tpe half mask



ref.: MLX700201	size M
ref.: MLX700301	size L

The 7000 Series half masks can be combined with various EasyLock® gas and particle filters, without the need for adapters or special pre-filters. They are designed for low maintenance: the cleaning process is quick and easy, as is replacing the small number of parts that require upkeep. An anatomically designed face seal ensures a comfortable and secure fit. The mask's robust and durable body is available in resistant TPE.

7000 serie silicone half mask

The 7000 series half masks can be combined with various EasyLock® gas and particle filters, without the need for adapters or special pre-filters. They are designed for low maintenance: the cleaning process is quick and easy, as is replacing the small number of parts that require upkeep. An anatomically designed face seal ensures a comfortable and secure fit. The mask's robust and durable body is available in temperature-resistant silicone.



ref.: MLX700501	size M
ref.: MLX700601	size L

easylock® particle filters 7000 and 9000 series



EN 143:2000+A1:2006

ref.: MLX901001	P1 R	20 un.-box
ref.: MLX902001	P2 R	20 un.-box
ref.: MLX902201	P2 R + OZONE	12 un.-box
ref.: MLX903001	P3 R	12 un.-box
ref.: MLX903201	P3R + OZONE	12 un.-box

easylock® gas filters 7000 and 9000 series

EN 14387:2004+A1:2008

ref.: MLX910001	A1	10 un.-box
ref.: MLX920001	A2	8 un.-box
ref.: MLX930001	A1B1E1	10 un.-box
ref.: MLX940001	A1B1E1K1	10 un.-box
ref.: MLX950001	A2B2E1	8 un.-box
ref.: MLX960001	AX	8 un.-box
ref.: MLX980001	A2B2E2K2	8 un.-box





easylock® combination filters 7000 and 9000 series

EN 14387:2004+A1:2008

ref.: MLX912001	A1P2 R	8 un.-box
ref.: MLX923001	A2P3 R1	6 un.-box
ref.: MLX943001	A1B1E1K1P3 R	6 un.-box
ref.: MLX973001	A1B1E1K1HgP3 R D	6 un.-box

abrasives


abrasive discs



fa041 paper abrasive disc

Film backing disc, green color
Aluminum oxide abrasive very resistant
Double resin adhesive
Treated with stearate to reduce friction and minimize residue buildup.
Better drainage of the dust. Semi-open coated abrasive
From P80 to P600 - Diameter 150 mm – multi-holes
The grits P80 and P120 are composed of a blend of different abrasives (zirconium), thus making the product much more resistant.

ref.: 30030	15-hole paper disc	150 mm	p 80	100-un box	4 boxes / carton
ref.: 30040	15-hole paper disc	150 mm	p 120	100-un box	4 boxes / carton
ref.: 30050	15-hole paper disc	150 mm	p 150	100-un box	4 boxes / carton
ref.: 30060	15-hole paper disc	150 mm	p 180	100-un box	4 boxes / carton
ref.: 30070	15-hole paper disc	150 mm	p 220	100-un box	4 boxes / carton
ref.: 30080	15-hole paper disc	150 mm	p 240	100-un box	4 boxes / carton
ref.: 30090	15-hole paper disc	150 mm	p 320	100-un box	4 boxes / carton
ref.: 30100	15-hole paper disc	150 mm	p 400	100-un box	4 boxes / carton
ref.: 30110	15-hole paper disc	150 mm	p 500	100-un box	4 boxes / carton



gs ceramic abrasive disc

Ceramic disc on paper backing, purple color.
Abrasive: Highly durable ceramic aluminum oxide.
Adhesive: Double phenolic resin.
Dust evacuation: Excellent performance.
Available grits: From P80 to P800.
Diameter: 150 mm – multi-holes.


ref.: 23002	multi-holes gs ceramic disc	150 mm	p 80	100-un. box	10 boxes / carton
ref.: 23003	multi-holes gs ceramic disc	150 mm	p 120	100-un. box	10 boxes / carton
ref.: 23004	multi-holes gs ceramic disc	150 mm	p 150	100-un. box	10 boxes / carton
ref.: 23005	multi-holes gs ceramic disc	150 mm	p 220	100-un. box	10 boxes / carton
ref.: 23006	multi-holes gs ceramic disc	150 mm	p 320	100-un. box	10 boxes / carton
ref.: 23008	multi-holes gs ceramic disc	150 mm	p 400	100-un. box	10 boxes / carton
ref.: 23009	multi-holes gs ceramic disc	150 mm	p 500	100-un. box	10 boxes / carton
ref.: 23010	multi-holes gs ceramic disc	150 mm	p 600	100-un. box	10 boxes / carton
ref.: 23011	multi-holes gs ceramic disc	150 mm	p 800	100-un. box	10 boxes / carton



br200 foam abrasive disc

Flexible foam disc
Backing Plastic with 10 mm thick foam.
Adaptability Conforms to all irregular surfaces.
Ideal use Perfect for matting.
Available grits: P600 – P800 – P1000.
Diameter: 150 mm – multi-holes.


ref.: 30590	multi-holes foam disc	150 mm	p 600	9-un. box	4 boxes / carton
ref.: 30600	multi-holes foam disc	150 mm	p 800	9-un. box	4 boxes / carton
ref.: 30610	multi-holes foam disc	150 mm	p 1000	9-un. box	4 boxes / carton



br194 film abrasive disc

Plastic backing disc
Application for precision work requiring a perfect finish.
Ideal use: Perfect for defect removal and matting tasks.
Available grits: P600 – P800 – P1000 – P1200 – P1500.
Diameter: 150 mm – multi-holes.

ref.: 30620	multi-holes film disc	150 mm	p 600	100-un. box	4 boxes / carton
ref.: 30630	multi-holes film disc	150 mm	p 800	100-un. box	4 boxes / carton
ref.: 30640	multi-holes film disc	150 mm	p 1000	100-un. box	4 boxes / carton
ref.: 30650	multi-holes film disc	150 mm	p 1200	100-un. box	4 boxes / carton
ref.: 30660	multi-holes film disc	150 mm	p 1500	100-un. box	4 boxes / carton




veltack foam abrasive disc

Foam disc
Purpose: Designed to remove sanding marks before polishing.
Usage: Wet application.
Efficiency: Reduces polishing time.
Available grits: P3000 – P6000 – P8000.
Diameter: 150 mm.

ref.: 30670	veltack disc	150 mm	p 3000	15-un. box	10 boxes / carton
ref.: 30680	veltack disc	150 mm	p 6000	15-un. box	10 boxes / carton
ref.: 30690	veltack disc	150 mm	p 8000	15-un. box	10 boxes / carton

sanding strips



vl068 ceramic strips

Ceramic abrasive, purple color.
Material: Highly durable ceramic aluminum oxide abrasive.
Adhesive: Double phenolic resin.
Dust evacuation: Excellent performance thanks to its multi-hole vacuum system.
Available grits: From P80 to P400.

ref.: 30440	ceramic multiholes strip	115 x 230 mm	p 80
ref.: 30450	ceramic multiholes strip	115 x 230 mm	p 120
ref.: 30460	ceramic multiholes strip	115 x 230 mm	p 150
ref.: 30470	ceramic multiholes strip	115 x 230 mm	p 220
ref.: 30480	ceramic multiholes strip	115 x 230 mm	p 240
ref.: 30490	ceramic multiholes strip	115 x 230 mm	p 320
ref.: 30500	ceramic multiholes strip	115 x 230 mm	p 400
ref.: 30510	ceramic multiholes strip	70 x 396 mm	p 80
ref.: 30520	ceramic multiholes strip	70 x 396 mm	p 120
ref.: 30530	ceramic multiholes strip	70 x 396 mm	p 150
ref.: 30540	ceramic multiholes strip	70 x 396 mm	p 180
ref.: 30550	ceramic multiholes strip	70 x 396 mm	p 220
ref.: 30560	ceramic multiholes strip	70 x 396 mm	p 240
ref.: 30570	ceramic multiholes strip	70 x 396 mm	p 320
ref.: 30580	ceramic multiholes strip	70 x 396 mm	p 400

double-sided abrasive sponges



GS double-sided abrasive sponge

Highly flexible abrasive sponge that allows sanding in the most difficult areas.
Each side is coated with an abrasive surface.
Provides a perfect finish and fine matting.

ref.: 23000	double-sided sponge	**brown**	fine	100-un. box	1 box / carton
ref.: 23001	double-sided sponge	**blue**	superfine	100-un. box	1 box / carton
ref.: 23012	double-sided sponge	**green**	microfine	100-un. box	1 box / carton



sanding control

Sanding control of putties and fillers. Fast drying.

ref.: 23282	400ML	12 un.

adhesive erasers



adhesive removal rubber disc – standard

Natural rubber disc for removing adhesive residues, glue, and moldings without scratching or effort, without damaging the car paint.
For use with an electric drill.
Specifications: Diameter 88 mm, thickness 15 mm
Recommended rotation speed: 2000–4000 rpm
Includes drill adapter with 5/16"-24 UNF thread

ref.: 23018

adhesive removal rubber disc – ventilated

Natural rubber disc for removing vinyl, adhesives, decals, adhesive tapes, and glue from metal, glass, fiberglass, and wood surfaces without damaging the underlying surface.
For use with an electric drill.
Specifications: Diameter 100 mm, thickness 27 mm
Maximum speed: 4000 rpm
Includes drill adapter with 5/16"-24 UNF thread

ref.: 23019



clean and strip discs



clean and strip disc with rod

Flexible Discs for Irregular Surface Sanding
Ideal for automotive repair and other surface treatments requiring rust removal, deburring, paint cleaning, welding, and pre-weld preparation.
Composition: Advanced nylon fiber reinforced with ceramic material.
Thickness: 15 mm
Maximum Speed: 5000 rpm
Purple colour

ref.: 23023	75 MM
ref.: 23024	115 MM
ref.: 23025	125 MM



clean and strip disc fiber backing

Disc with a mesh structure that has the advantage of clogging resistance, ensuring strong sanding performance and a long service life.
Recommended for use in automotive repair and other surface treatments that require rust removal, deburring, paint cleaning, welding, and pre-welding treatment before cleaning.
Composition: advanced nylon fiber and ceramic material.
Thickness: 15 mm.
Maximum: 11,500 rpm.
Color: purple.

ref.: 23026	115 MM



clean and strip roll lock disc

Flexible roll lock disc for Irregular Surface Sanding
Ideal for automotive repair and other surface treatments requiring rust removal, deburring, paint cleaning, welding, and pre-weld preparation.
Composition: Advanced nylon fiber reinforced with ceramic material.
Thickness: 15 mm
Maximum Speed: 5000 rpm
Purple colour

ref.: 23027	75 MM

roll lock grinding disc 50 mm



Disc equipped with a plastic button adhesive system, allowing quick and easy installation and removal.
Mainly used for rust removal, deburring, paint cleaning, weld cleaning, and pre-weld surface treatment in repair work and other surface treatment applications.
Material: Brown aluminum oxide
Diameter: 50 mm
Grit: P36 / P60 / P80 / P120
Thickness: 1.5 – 2 mm
Maximum speed: 5,000 rpm
50 units box

ref.: 23028	P36	50 MM
ref.: 23029	P60	50 MM
ref.: 23030	P80	50 MM
ref.: 23031	P120	50 MM

electric sanding machines

roto-orbital electric sanding machine gps 9160



High-tech machine thanks to its brushless motor. Ergonomic design and lightweight at 1.3 kg. Diameter of 150 mm. 5 mm orbit at low speeds, 2.5 mm orbit at high speeds. Equipped with 6 adjustable speeds.

diameter	150MM
electrical voltage	220V - 240 V
power	350 - 400 W
rotation speed	4000 - 10000 rpm
power cable	5 M

ref.: 23108

orbital electric sanding machine gps 8799 - 70 x 198 mm

High-tech machine thanks to its brushless motor. Ergonomic design and lightweight at 1.5 kg.
Dimensions: 70 x 198 mm. 3 mm orbit.
Equipped with 6 adjustable speeds



órbita	3 MM
electrical voltage	220V - 240 V
power	350 W
rotation speed	4000 - 10000 rpm

ref.: 23135

orbital electric sanding machine gps 8799 - 70 x 400 mm

x
x
x
x
x
x



orbit	x MM
electrical voltage	xxx V - xxx V
power	xxx W
rotation speed	xxxx - xxxxx rpm

ref.: 23441

sanding accesories



hand blovk with dusk extraction 70x400 mm

Hand block with dust extraction – 53 holes - Velcro® system.

ref.: 23114



hand block with dusk extraction 70x400 mm

Hand block with dust extraction – 32 holes - Velcro ® system.

ref.: 23115



hand blovk with dusk extraction 70 X 198 mm

Hand block with dust extraction – 22 holes - Velcro ® system.

ref.: 23116



red rubber sanding block

Flexible red rubber sanding block for mild contours
Eliminates marks caused by finger pressure
For wet or dry sanding on all types of materials

ref.: 23020

black rubber sanding block

Rigid black rubber sanding block for flat surfaces and general-purpose work.
Eliminates marks caused by finger pressure
For wet or dry sanding on all types of materials

ref.: 23021





sanding block for 150 mm discs

Flat hand sanding block with velcro system for 150 mm diameter discs.
Made of high-quality PU foam, ensuring great durability and a long service life.

ref.: 23022

purple back plate
d150mm - 129 holes

129-holes pad, specially designed for use with multi-hole discs. Compatible with all sanders on the market, including Festool, Dynabrade, and Mirka, etc.., for Rupes sanders, an adapter is required, sold separately. Diameter 150 mm

ref.: 23117	medium
ref.: 23118	soft





interface purple
d150mm - 129 holes


Special interfaces for use with purple pads.
Diameter 150 mm

ref.: 23119	5 mm
ref.: 23120	10 mm

protector purple back plate
d150mm – 130 holes

Protector to preserve and extend the lifespan of the purple pad.
Diameter 150 mm

ref.: 23121



electro back plate
d150mm - 97 holes

97-holes pad, specially designed for use with multi-hole discs.
Compatible with all electric
sanders on the market, such as Mirka and Norton.
Thread size: 5/16". Diameter 150 mm



ref.: 23122	medium
ref.: 23123	soft



interface electro
d150mm - 97 holes


Special interfaces for use with electro pads.
Diameter 150 mm

ref.: 23124	5 mm
ref.: 23125	10 mm

protector electro back plate
d150mm – 97 holes

Protector to preserve and extend the lifespan of the electro pad.
Diameter 150 mm

ref.: 23126



gps 9160 back plate
d150mm multiholes

Specific backing pad for GPS 9160 random orbital electric sander
Diameter: 150 mm
Thread: 5/16" × 24 (10 mm)

ref.: 23437





gps 8799 back plate
70x198mm

Specific backing pad for GPS 8799 orbital electric sander
Dimensions: 70 × 198 mm

ref.: 23440

winner back plate
d75mm - 6 holes

75 mm diameter pad with 6 holes and 5/16” connection, designed for use with pneumatic sanders in small and smart repairs.

ref.: 23127





interface winner
d75mm - without holes

Special interfaces for use with winner pads.
Diameter 150 mm

ref.: 23128

multifunction trolley



multifunction sanding trolley

Trolley with 4 wheels made of high-quality plastic and aluminum.
Efficient organization of sanding products.
With space for disc boxes, sanders, sanding blocks, hand planes, etc.

ref.: 23290

electric pneumatic vacuum



electric-pneumatic vacuum gs 9165

Professional Class L Electric Pneumatic Vacuum with High Suction Performance from Motor and Turbine.
The auto-start function extends motor lifespan and reduces noise. Manual filter cleaning function.

input power (W)	1200W
input voltage (VCA)	220V
airflow volume (l/min)	2400W
power connector capacity (W)	3900L/Min
maximum pressure	≥ 20kPa
noise level LpA (dB)	68dB
filter cleaning	manual
suction level	L
size	630*395*556mm
frequency (Hz)	50/60 Hz
tank volume	38L
weight (Kg)	15 Kg

ref.: 23109	vacuum	
ref.: 23293	air filter	
ref.: 23139	gs 9165 vacuum cleaner cable - 5 metres	1 unit
ref.: 23140	european plug for 9165 vacuum cleaner	1 unit
ref.: 23439	gs9165 vacuum bag	
ref.: 23438	gs9165 vacuum wheel	

bodyshop equipment

stands



jumbo x-trestle

Great for working on bumpers and other automotive parts
Bumper extension bar can easily be adjusted for any position
Folds away for easy storage
Steel zinc plated with powder coated.
Blue Colour. Include 2pcs x Extension Tube.
Tube Size: F30 x 1.2mm

ref.: 23129

rotating paint spray stand

Ideal for doors, bonnets, bumpers, wings and spoilers etc
Adjustable and rotating bars make this stand suitable for almost any panel types
Portable for easy manoeuvring of application from preparation to spray booth
Steel tube with galvanized. Tube size: F30 x 1.5 + F20 x 1.2mm

- Includes:

2 S hook
1 spray gun holder
4 vertical supports with fixed hook
2 vertical supports with longer removable hook
2 supports with holes



ref.: 23130

multifunction panel paint stand



Ideal for doors, bonnets, bumpers, wings and spoilers
Compact design, yet can handle the larger bonnets, tailgates etc.
Fully adjustable, rotates full 180°
Adjustable and rotating bars make this stand suitable for almost all panel types
Portable for easy manoeuvring of application from preparation to spray booth
Steel tube with powder coated + galvanized Color: blue
Dimension: 900(L) x 850(W) x 1070mm(H) With 2pcs x 7inch wheels + 2pcs x 4inch castors with brake

ref.: 23402

mobile wheel rim stand

This hub frame is suitable for 2pcs x 15-22" wheel hub for painting and repair grinding, * Dual wings allow 360° rotation
Adjustable height from 1100 to 1420mm.
Dimension: 900 x 670 x 1100mm
Steel Tube with galvanized
With 4pcs x 4inch (Pu Castors)
Two Swivel With Brake

ref.: 23131



wheel & panel repair stand



Mobile panel stand with two horizontal supports with two wheel supports on each side
The wheel supports can be taken off so the stand can be used for larger panels such as hood or bonnet - horizontal supports are foam-cushioned for safety
*Holds up to 4 alloy wheels and enable the user to rotate the wheels on cones
Steel tube with galvanized.
Dimensions: 91cm x 70cm x 15cm
Max. Load Capacity: 100kg, 25kg capacity per hook

ref.: 23132



mirror paint holder with clamp

Great for holding and painting side mirror assemblies, outside mirror covers, as well as painting of other small and hard-to-hold parts.
Powerful magnets allow the Paint Plier Holder to be attached to paint booth walls or other metal surfaces for easy part drying.
Steel tube with powder coated. Color: blue

ref.: 23403

locking plier holder

Keep small car parts and easily paint
Steel powder coated
Color: blue
Size: 275 x 98 mm

ref.: 23405





xl car polishing boot door support bar

Suitable for locking boot door in place at desired angle to make sanding, painting, buffing, and polishing easier.
Brace locates into boot catch and hooks onto door creating a solid working platform.
Adjustable length from 280 mm a 1500 mm (11" to 59")
Steel galvanized

ref.: 23404

magnetic spray gun holder - 4 guns

Heavy duty portable magnetic paint spray gun holder stand.
Holds up to 4 gravity feed guns, and siphon or pressure feed spray guns can also be hung from the lowers 4 hooks of the holder.
10 strong magnets allow the auto paint gun holder to be mounted on metal surfaces for use in your auto shop, spray booth, or painting space.
Steel with powder coated. Color: blue.
Dimension: 400 x 220 x 160mm



ref.: 23408



magnetic spray gun & pressure sprayer 1 l

Magnetic holder for paint spray guns and 1-liter pressure sprayers.
Vinyl-coated to protect paint guns.

ref.: 23454

table-mounted spray gun holder

Table-mounted holder designed to securely and steadily hold the spray gun during paint preparation and filling.
Features an integrated paint strainer holder, allowing the paint to be filtered directly into the spray gun cup for quick, easy and clean filling.

ref.: 24018





magnetic holder for 1 spray gun

Magnetic holder for 1 spray gun. Quick and secure attachment to metal surfaces with no drilling required.

ref.: 24019

mobile trolleys

workshop car parts trolley




Heavy-duty parts trolley for organized storage of car parts
Equipped with hanging rack for bumpers and exhaust pipes
*Steel with powder coated. Color blue
Dimension: 895 x 685 x 1910mm.
Max. Capacity: 200lbs. (90kg.)

Includes:
- 2 wooden shelves
- 1 tool basket with 4 x small plastic boxes
- 1 file box with pen holder (with U-shape)
- 1 metal shelf (powder coating)
- 4 elastic fixing bells for pull-out rails
- 4 x 4inch PU Castors (Two Swivel With Brake)

ref.: 23133

mobile bumper storage rack

Load up and store your painted & primed bumpers on our Single Sided Mobile
Bumper Rack.
This easy to move rack utilizes 6 pairs of arm bars to give you plenty of space for your bumpers or rocker panel modlings.
The height of the arm bars can also be adjusted via the turn knob
Steel with powder coated. Color Blue
6 pairs of foldable arm bars with EPE foam cover (6 short, 6 long)
4 x 4inch PU castors(Two Swivel With Brake)
Overall Dimension: 1200(W) x 750(D) x 2150mm(H)
Total Load Capacity: 60kgs, 15kgs. capacity per layer



ref.: 23134

dispensers



plastic film masker

Designed to be wheeled upright and then can be turned through 90 degrees, so it can be used vertical or horizontal. Fits the majority of masking film roll
An adjustable mobile sheeting dispensers that can hold hold rolls up to 38" (960mm)width
Smart spring-loaded end frame to keep the roll securely in place
Steel with powder coated. Color: blue
With 2 x 7inch PU Wheels .Dimensions: 40.5" L x 16.1" W x 20.5" H (1030 x 410 x 520 mm)

ref.: 23406

48 inch deluxe masking paper machine

Ideal for quick and easy masking when doing auto body repair work
Includes 3 bars to hold 5 paper rolls and 5 tape rolls, suitable for hold width from 12" to 48" paper.
Sharp, anodized blades for clean smooth cutting
Moveable tape holder to always keep tape and paper properly aligned
Steel with powder coated. Color: blue
With 2 x 8inch PU Wheels. Dimensions: 61" L x 23.6" W x 54" H (1550 x 600 x 1370 mm)



ref.: 23414

various accessories



double head grate lifter trolley

Used to conveniently remove floor grates in your spray booth, preparation bays or in general.
Assembly size: 25-1/2" x 21" x 45-1/4"
Square tube size: 25 x 25 x 1.5mm
Round tube diameter: 25mm
Air wheel: 8"
Color: blue

ref.: 23409

two-step stool

High quality PP material, strong load bearing capacity, no easy tl shake, labor-saving stepped design, easy to clean and carry, surface concave convex anti slip.
Colour black.
Dimensions 66 cm x 45 cm

ref.: 23213







wall mounted and floor stand 2 in 1 wiper dispenser

Suitable for holding and dispenser industrial wiping rolls
Can be used as a wall mounted dispenser or a Free-standing unit
Equipped with a serrated cutting edge
Knock down design, easy to install, and also can reduce a lot of transport volume
Wiper roll width up to 40cm
Open Dimension: 515 x 328 x 300mm. Steel with powder coated. Color: Blue

ref.: 23407



23 pcs master spray gun cleanning kit

This kit contains a variety of brushes and picks which can be used to remove paint from spray guns and cups

ref.: 23411

kit of dust removal needles + pen

Kit of 10 flexible steel needles with individual holder and microscopic tip to remove dust specks, hairs, insects, or other particles from fresh paint.

ref.: 23464





3-piece titanium spot weld dril bit set

Set of 3 drill bits with titanium nitride coating, designed for drilling spot welds.
Flat ground for increased strength and centering tip to prevent walking.
The set includes 3 bits: 6.5 mm x 45 mm, 8 mm x 45 mm, and 10 mm x 45 mm.

ref.: 23465

winding jet nozzle with valve

Compact structure design
Energy saving, converting a low volume of compressed air into a high-velocity high impact flat fan air stream
Uniform distribution across the impact / blow-off area provides improved control
Provides low noise levels. Spray round jet. Material: ABS
Color: purple. Working pressure: 29~43.5 psi(2~3 bar)
Maximum working pressure: 100 psi (7 bar). Burst pressure: 115 psi(8 bar)
Max. operating temperature: 77° C
For 1/4" BSPT connector. With valve



ref.: 23412

euro type, pocket air blow pen



This pocket blow has the shape of a pen and can therefore lead the air pressure very exactly.
It has a clip, which enables it to be carried safely within the chest pocket.
The air-blow is exactly adjustable and can be used in many situations.
112mm long
Euro Type Air Inlet
Supplied with 1/4 NPT air inlet coupling

ref.: 23413

flexi wiper

Designed for fast and effective wiping and drying of bodywork, windows, polyester and other surfaces, without scratching or damaging the surface.



ref.: 24017



ADVANCE SYSTEMS

Calle Galileo Galilei, parc. 129-nave 16
Polígono Industrial El Polear
29313 Villanueva del Trabuco
(MALAGA) SPAIN

Tlf. +34 608 646 756
admin@gs-advancesystems.eu
gs-advancesystems.eu